

# CLAD



Branded by  Pannel 'Profile' Banding 'Digital Art

# Specification :



صديق للبيئة



سهل الاستخدام  
التركيب



ضد الفطريات  
و البكتيريا



ضد الماء 100%



يستخدم في تطبيقات  
متعددة



سهل القص  
والتقطيع



ضد للنمل الأبيض  
والحشرات



ضمان  
مدى الحياة



الأفضل للأماكن  
الخارجية



سهل الكسوة



ضد الانكماش  
والإنتفاخ



سطح أملس



ضد  
الاشتعال



ربط عالي المسمار  
و للبراغي



مقاوم للمواد  
الكيميائية



لا يحتاج صيانة



غير سام



قابل للدهان



مقاوم للتآكل




مقاوم للصدمات




# Technical :

MODEL 15	TECHNICAL SPECIFICATION	
	Width X Length (mm)	152 X 2800
	Thickness (mm)	19
	Surface	Digital / folios
	Profile	PVC



MODEL 20	TECHNICAL SPECIFICATION	
	Width X Length (mm)	200 X 2800
	Thickness (mm)	7
	Surface	Digital / folios
	Profile	PVC



Properties	Test Method	Value
Light fastness	ISO 877	7-8
Hardness Shore D	ISO 868	78±4
Indentation Hardness	ISO 2039-1	100-120(N/mm <sup>2</sup> )
Vicat Softening Temperature (50°C/h , B50N)	ISO 306	75°C
Impact Strength, 23°C notched	ISO 179/2C	19-21(KJ/mm <sup>2</sup> )
Impact Strength, 23°C unnotched	ISO 179/2D	no break
Shrinkage (1h at 60 °C)	own method	< 0.5 %
Resistance to Chemicals	DIN 68861	very good (1B )
Static Charge		low



MODEL 15



D2

Plastic profile (pvc) that is used as an alternative to wood in decoration due to its direct printing technology.  
It is superior to wood with its water, moisture and insect resistance



D1



D2



D3



D4



D5



D6



D7



D8



D9




D10



D11



**WF54**





WF51



WF52



WF53



WF54



WF55



WF56



WF57



WF58



WF59



WF60



WF77



WF63



WF00




WF90


After The raw mdf plate is cut in the requested dimensions, it's variously shaped by removing saw-dust from its surfaces with cutting blades. Then pvc folios with adequate width are covered to produce wooden profiles. The wooden profiles are used in kitchens, bathrooms, living rooms, bedrooms, the cabinet doors of hotel and office furniture, wall linings, light bands, baseboards, headers, thickenings, corners, table legs and surface profiles.

## Technical :


MODEL 1	TECHNICAL SPECIFICATION	
	Width X Length (mm)	146.5X 2800
	Thickness (mm)	17.5
	Surface	PVC
	Profile	MDF



MODEL 2	TECHNICAL SPECIFICATION	
	Width X Length (mm)	115X 2800
	Thickness (mm)	17
	Surface	PVC
	Profile	MDF



MODEL 3	TECHNICAL SPECIFICATION	
	Width X Length (mm)	115X 2800
	Thickness (mm)	17.5
	Surface	PVC
	Profile	MDF





All codes are available in 3 Models



MF51



MF52



MF53



MF54



MF55




MF56




MF57



MF58



MF59




MF60




MF77



MF63



MF00




MH90

# MF54



MODEL 1



**MF77**



**MF53**

**MODEL 3**

# WALL PROFILE

**GLOBAL  
INDUSTRIES**

**Glossy  
PANNEL**

**Boardium**

**GLOBAL  
BANDING**

**CLADZ**

**ARTISTIC  
WALL PANNEL**



**15687**

+2 010 2224 0611

المصنع

شارع أباطه - المنطقة الصناعية  
انشاص - الشرقية

المخازن

شارع الترولي - مؤسسة الزكاة  
خلف نادي بركة الحاج الرياضي  
القاهرة - مصر

الادارة

38 الملتقى العربي - مساكن  
شيرتون - طريق النصر  
القاهرة - مصر



Scan Me